

BRIGHT WHITE  
24, 26 & 29ga



WHITE WHITE  
24, 26 & 29ga



BONE WHITE  
24, 26 & 29ga



ANTIQUÉ LINEN  
29ga



ICEBERG  
26ga



WICKER  
24, 26 & 29ga



STONE GREY  
24, 26 & 29ga




SABLE  
29ga



HICKORY  
24 & 26ga



SEA WOLF  
29ga



BUCKSKIN  
24, 26 & 29ga



TAN  
24, 26 & 29ga



GOLD  
29ga



COPPER PENNY  
29ga




BRIGHT RED  
24 & 29ga



TILE RED  
24 & 29ga



DARK RED  
24, 26 & 29ga



COFFEE BROWN  
24, 26 & 29ga



DARK BROWN  
24, 26 & 29ga



BLACK  
24, 26 & 29ga



CARBON  
24, 26 & 29ga



GUNMETAL  
29ga



CHARCOAL  
24, 26 & 29ga



REGENT GREY  
24, 26 & 29ga



ASCOT GREY  
29ga



OXFORD BLUE  
24 & 26ga



SLATE BLUE  
24 & 29ga



HERON BLUE  
24 & 29ga



ROYAL BLUE  
24 & 29ga



SAPPHIRE BLUE  
24 & 29ga



TURQUOISE  
29ga




DARK SAGE  
29ga



MELCHERS GREEN  
24, 26 & 29ga



GALVALUME  
24, 26 & 29ga



GALVANIZED  
24, 26 & 29ga

*Colour representation may not be exact.  
We recommend always viewing a colour  
sample in person prior to ordering*



## Woodgrain *Series*

### Steel Woodgrain Series For Siding & Architectural Accents

Our Woodgrain Metal Series provides the character and beauty of wood with the durability, longevity and low maintenance of steel. Unlike its wood and wood veneer counterparts, our Woodgrain Metal was designed to stand the test of time. The base metal for our Woodgrain Series is a 55% Aluminum-Zinc Alloy Coated Steel. Our Woodgrain Series is a PVDF Pre-Painted Steel that is great for applications such as pre-engineered buildings, architectural wall panels, facades, and other applications where durability and long-lasting performance are required.

The Woodgrain Series is available in our Forma Plank Steel Wall Panel System, adding warmth and modern design to interior and exterior projects in both the commercial and residential markets.



### Specifications

Look of Wood with the Strength & Performance of Steel

Superior resistance to handling and abrasion

24 Gauge, AZ50

PVDF Prepainted Steel

Available in Forma Plank Wall Panel System

Available in Barnboard & Espresso




6 Other Woodgrain Colour Available, extended lead times may apply

Inquire about more panel options

(403) 553-3309 | [orders@formasteel.ca](mailto:orders@formasteel.ca)

**FORMASTEEL.CA**


## *Available Woodgrain Colours in Stock*






## TEXTURED STEEL COLOUR SERIES


Our Textured Colour Series not only delivers eye-catching, 3D visual effects to the product, but also provides a surface that is more durable and scratch-resistant than standard pre-painted product. This textured finish also offers stronger colour retention and superior resistance to chalking and fading. Available in 26 Gauge in 4 Textured Colours:




BURNISHED SLATE



GRAPHITE



KONA BROWN



ONYX BLACK

Forma Steel recommends seeing an actual painted metal sample prior to ordering. Samples are available upon request.

(403) 553-3309 | [orders@formasteel.ca](mailto:orders@formasteel.ca)

**FORMASTEEL.CA**

PVDF (Polyvinylidene Fluoride) is a highly non-reactive and pure thermoplastic fluoropolymer used in a variety of applications where the highest purity, strength, and resistance to solvents, acids, bases, and heat are required. PVDF pre-painted steel is best suited for high-end applications such as commercial or residential roofing, pre-engineered buildings, architectural wall panels, facades, and other applications where durability and long-lasting performance are required.



REGAL WHITE  
SRI: 78



PARCHMENT  
SRI: 58



SIERRA TAN  
SRI: 58



CHAMPAGNE METALLIC  
SRI: 49



MOCHA  
SRI: 35



WEATHERED COPPER  
SRI: 27



BRONZE  
SRI: 25



DARK BRONZE  
SRI: 27



COPPER PENNY  
SRI: 42



TERRA COTTA  
SRI: 42



COLONIAL RED  
SRI: 34



RETRO RED  
SRI: 25



HEMLOCK GREEN  
SRI: 37




FOREST GREEN  
SRI: 30



HARTFORD GREEN  
SRI: 27



BLACK  
SRI: 24




SILVER METALLIC  
SRI: 58



OXFORD BLUE  
SRI: 25



REGAL BLUE  
SRI: 25



WEATHERED ZINC  
SRI: 40




OLD TOWN GREY  
SRI: 42



OLD ZINC GREY  
SRI: 40



SLATE GREY  
SRI: 30



ZINC GREY  
SRI: 37

**The Solar Reflectance Index (SRI)** is a measure of the roof's ability to reject solar heat, as shown by a small temperature rise. SRI is a gauge from 0-100, with 0 being most likely to absorb and radiate heat (such as a tar roof) and 100 being the most reflective (least likely to get hot)