




## 2" MECHANICAL LOCK

March 2021

### Forma Steel Counter




Pos. 1 - **Name:** 200EL312

**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 9.53 inch, **Bendings:** 6

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 1.1  | 18027 | 120.000       | 1      | 0   | 7.965 |





Pos. 2 - **Name:** 200PS - Panel Support

**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 9.598 inch, **Bendings:** 5


| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 2.1  | 18028 | 120.000       | 1      | 0   | 7.965 |






## 2" MECHANICAL LOCK

March 2021



Pos. 3 - **Name:** 200BG Open Hem at Bottom End  
**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 11.688 inch, **Bendings:** 8

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 3.1  | 18029 | 120.000       | 1      | 0   | 9.688 |



Pos. 4 - **Name:** 200GL Open Hem at Top  
**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 3.812 inch, **Bendings:** 5

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 4.1  | 18030 | 120.000       | 1      | 0   | 3.229 |




## 2" MECHANICAL LOCK

March 2021


Pos. 5 - **Name:** 200RCF - \*\*4:12 Slope\*\*

**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 22 inch, **Bendings:** 9




| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 5.1  | 18031 | 120.000       | 1      | 0   | 18.299 |





Pos. 6 - **Name:** 200HE Open Hem at Top

**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 18.375 inch, **Bendings:** 8




| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 6.1  | 18034 | 120.000       | 1      | 0   | 15.285 |





## 2" MECHANICAL LOCK

March 2021




Pos. 7 - **Name:** 200ZB

**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 5.312 inch, **Bendings:** 2

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 7.1  | 18035 | 120.000       | 1      | 0   | 4.413 |





Pos. 8 - **Name:** 200ZS

**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 1.75 inch, **Bendings:** 2

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 8.1  | 18036 | 120.000       | 1      | 0   | 1.507 |






## 2" MECHANICAL LOCK

March 2021

Pos. 9 - **Name:** 200EJC

**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 8.625 inch, **Bendings:** 5




| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 9.1  | 18037 | 120.000       | 1      | 0   | 7.212 |

|        |        |        |        |        |
|--------|--------|--------|--------|--------|
| -180°  | -90°   | -90°   | -135°  |        |
| 0.500" | 1.875" | 4.000" | 1.750" | 0.500" |

Pos. 10 - **Name:** 200SWF

**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 11.501 inch, **Bendings:** 6



| Pos. | ID    | Length [inch] | Amount | lbs | sqft |
|------|-------|---------------|--------|-----|------|
| 10.1 | 18038 | 120.000       | 1      | 0   | 9.58 |

|        |        |        |        |        |        |
|--------|--------|--------|--------|--------|--------|
| 135°   | 90°    | -90°   | 90°    | -180°  |        |
| 0.750" | 4.500" | 3.188" | 1.938" | 0.625" | 0.500" |



**Blank: 4.175 inch, Bendings: 2**

45°

-180°

2.500"

1.000"

0.675"



**Blank: 14.688 inch, Bendings: 12**

-90°

0"

2

 $15^\circ \quad -15^\circ$ 

0

90

-15°    15°

---

2

-90°

---

3

-90°

---

90°


---

-180°  
0.500"





## 2" MECHANICAL LOCK

March 2021




Pos. 13 - **Name:** \*\*1/8" open hem\*\* End support  
**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 6.5 inch, **Bendings:** 1

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 13.1 | 18041 | 19.685        | 1      | 0   | 0.861 |



Pos. 14 - **Name:** Ridge Closure  
**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 4.5 inch, **Bendings:** 3


| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 14.1 | 18042 | 19.685        | 1      | 0   | 0.646 |





## 2" MECHANICAL LOCK

March 2021



Pos. 15 - **Name:** Non Floating Sidewall

**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 17.063 inch, **Bendings:** 5


| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 15.1 | 18043 | 120.000       | 1      | 0   | 14.208 |

-180°  
0.500"

Pos. 16 - **Name:** 1/8" Open Hems - Ridge Cap

**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 22 inch, **Bendings:** 9



| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 16.1 | 18044 | 120.000       | 1      | 0   | 18.299 |


-180° 70° -70° -37° -70° 70° -180°  
1.000" 2.500" 1.500" 6.000" 1.500" 2.500" 1.000"





## 2" MECHANICAL LOCK

March 2021




Pos. 17 - **Name:** Vented Ridge Clip - 3" Long - 16ga  
**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be  
Determined

**Blank:** 5.312 inch, **Bendings:** 2

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 17.1 | 18045 | 120.000       | 1      | 0   | 4.413 |

1.750" -90° 1.812" 90° 1.750"



Pos. 18 - **Name:** 200 LONG GL Open Hem at Top  
**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be  
Determined

**Blank:** 6.312 inch, **Bendings:** 5



| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 18.1 | 18046 | 120.000       | 1      | 0   | 5.274 |

0.562" 180° 0.625" -90° 4.000" -45° 0.625" 180° 0.500"



## 2" MECHANICAL LOCK

March 2021






## 2" MECHANICAL LOCK

March 2021

Pos. 21 - **Name:** RC200 LONG/FLAT

**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 23 inch, **Bendings:** 5




| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 21.1 | 18049 | 120.000       | 1      | 0   | 19.16 |



Pos. 22 - **Name:** 2" L Flashing

**Material:** Colour24ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 4 inch, **Bendings:** 5



| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 22.1 | 18050 | 120.000       | 1      | 0   | 3.337 |

