




STANDARD TRIM



November 2024

Forma Steel Counter




Pos. 1 - **Name:** BF01 - Base  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 4 inch, **Bendings:** 4

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 1.1  | 17778 | 120.000       | 1      | 0   | 3.337 |




Pos. 2 - **Name:** BF02 - 1.5" Base  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 4.5 inch, **Bendings:** 4

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 2.1  | 17779 | 120.000       | 1      | 0   | 3.767 |







STANDARD TRIM  
November 2024




Pos. 3 - **Name:** BF03 - 1.75" Base  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 6 inch, **Bendings:** 4

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 3.1  | 17780 | 120.000       | 1      | 0   | 4.951 |




Pos. 4 - **Name:** DJ01 - 2x8 Door Jamb  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 9.813 inch, **Bendings:** 2

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 4.1  | 17781 | 120.000       | 1      | 0   | 8.181 |







STANDARD TRIM  
November 2024




Pos. 5 - **Name:** DJ02 - 2x10 Door Jamb  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 12.063 inch, **Bendings:** 2

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 5.1  | 17782 | 120.000       | 1      | 0   | 10.01 |




Pos. 6 - **Name:** EV01 - 1" Eave \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 5 inch, **Bendings:** 4

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 6.1  | 17783 | 120.000       | 1      | 0   | 4.198 |







STANDARD TRIM  
November 2024




Pos. 7 - **Name:** EV02 - 2" Eave \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 6 inch, **Bendings:** 4

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 7.1  | 17784 | 120.000       | 1      | 0   | 4.951 |




Pos. 8 - **Name:** EV03 - 4.125" Eave \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 8.125 inch, **Bendings:** 4

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 8.1  | 17785 | 120.000       | 1      | 0   | 6.781 |







STANDARD TRIM  
November 2024




Pos. 9 - **Name:** EV04 - 5" Eave \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 10 inch, **Bendings:** 4


| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 9.1  | 17786 | 120.000       | 1      | 0   | 8.288 |



Pos. 10 - **Name:** EV05 - 3" Eave \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 7 inch, **Bendings:** 4


| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 10.1 | 17787 | 120.000       | 1      | 0   | 5.813 |





Pos. 11 - **Name:** EW01 - End Wall \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 9.5 inch, **Bendings:** 3

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 11.1 | 17788 | 120.000       | 1      | 0   | 7.965 |




Pos. 12 - **Name:** FC01 - 5" Fascia  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 6.938 inch, **Bendings:** 3

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 12.1 | 17789 | 120.000       | 1      | 0   | 5.813 |





STANDARD TRIM

November 2024




Pos. 13 - **Name:** FC02 - 6" Fascia  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 8 inch, **Bendings:** 3

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 13.1 | 17790 | 120.000       | 1      | 0   | 6.674 |



Pos. 14 - **Name:** FC03 - 7" Fascia  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 9 inch, **Bendings:** 3


| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 14.1 | 17791 | 120.000       | 1      | 0   | 7.535 |





STANDARD TRIM

November 2024





Pos. 13 - **Name:** FC04 - 8" Fascia

**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 8 inch, **Bendings:** 3

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 13.1 | 17790 | 120.000       | 1      | 0   | 6.674 |




Pos. 15 - **Name:** GB01 - 1.75" Gable

**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 8.438 inch, **Bendings:** 6

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 15.1 | 17792 | 120.000       | 1      | 0   | 6.997 |








STANDARD TRIM  
November 2024


Pos. 16 - **Name:** GB02 - 2.75" Gable  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 9.25 inch, **Bendings:** 6


| Pos. | ID    | Length [inch] | Amount | lbs | sqft |
|------|-------|---------------|--------|-----|------|
| 16.1 | 17793 | 120.000       | 1      | 0   | 7.75 |



Pos. 17 - **Name:** GB03 - 4.75" Gable  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 11.5 inch, **Bendings:** 6


| Pos. | ID    | Length [inch] | Amount | lbs | sqft |
|------|-------|---------------|--------|-----|------|
| 17.1 | 17794 | 120.000       | 1      | 0   | 9.58 |





Pos. 18 - **Name:** GB04 - FR 6.25" Gable  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 14.75 inch, **Bendings:** 6

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 18.1 | 17795 | 120.000       | 1      | 0   | 12.271 |



Pos. 19 - **Name:** GB05 - 3.75" Gable  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 10.125 inch, **Bendings:** 6


| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 19.1 | 17796 | 120.000       | 1      | 0   | 8.396 |



STANDARD TRIM  
November 2024


Pos. 20 - **Name:** GBP1 - 1.75" Prow Gable  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | -  
To Be Determined  
**Blank:** 20.5 inch, **Bendings:** 8

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 20.1 | 17797 | 120.000       | 1      | 0   | 17.115 |



Pos. 21 - **Name:** GBP2 - 2.75" Prow Gable  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | -  
To Be Determined  
**Blank:** 20.5 inch, **Bendings:** 8


| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 21.1 | 17798 | 120.000       | 1      | 0   | 17.115 |









STANDARD TRIM  
November 2024




Pos. 24 - **Name:** GD02 - 3/4" Gable Divider  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To  
Be Determined  
**Blank:** 4.375 inch, **Bendings:** 4

| Pos. | ID    | Length [inch] | Amount | lbs | sqft |
|------|-------|---------------|--------|-----|------|
| 24.1 | 17801 | 120.000       | 1      | 0   | 3.66 |




Pos. 25 - **Name:** GD03 - 1.375" Gable Divider  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To  
Be Determined  
**Blank:** 5.875 inch, **Bendings:** 4

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 25.1 | 17802 | 120.000       | 1      | 0   | 4.844 |







STANDARD TRIM  
November 2024




Pos. 26 - **Name:** HD01 - 1" Header  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 5.5 inch, **Bendings:** 6

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 26.1 | 17803 | 120.000       | 1      | 0   | 4.628 |




Pos. 27 - **Name:** HD02 - 2" Header  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 7.5 inch, **Bendings:** 6

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 27.1 | 17804 | 120.000       | 1      | 0   | 6.243 |







STANDARD TRIM  
November 2024




Pos. 28 - **Name:** IC01 - Inside Corner  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 5.75 inch, **Bendings:** 3

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 28.1 | 17805 | 120.000       | 1      | 0   | 4.844 |




Pos. 29 - **Name:** IC02 - 4" Inside Corner  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 11.5 inch, **Bendings:** 5

| Pos. | ID    | Length [inch] | Amount | lbs | sqft |
|------|-------|---------------|--------|-----|------|
| 29.1 | 17806 | 120.000       | 1      | 0   | 9.58 |







STANDARD TRIM  
November 2024




Pos. 30 - **Name:** IC03 - 4" Inside Corner, built in J's  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 15.25 inch, **Bendings:** 7

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 30.1 | 17807 | 120.000       | 1      | 0   | 12.701 |



Pos. 31 - **Name:** IC05 - FR 5" Inside Corner  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 15 inch, **Bendings:** 5


| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 31.1 | 17808 | 120.000       | 1      | 0   | 12.486 |









STANDARD TRIM  
November 2024




Pos. 32 - **Name:** IC06 - 1/2" Double J  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 4.625 inch, **Bendings:** 5

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 32.1 | 17809 | 120.000       | 1      | 0   | 3.875 |




Pos. 33 - **Name:** IC07 - .75" Double J  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 5 inch, **Bendings:** 5

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 33.1 | 17810 | 120.000       | 1      | 0   | 4.198 |







STANDARD TRIM  
November 2024




Pos. 34 - **Name:** IC08 - 1/2" - 1/2" Inside Corner  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 6.626 inch, **Bendings:** 7

| Pos. | ID    | Length [inch] | Amount | lbs | sqft |
|------|-------|---------------|--------|-----|------|
| 34.1 | 17811 | 120.000       | 1      | 0   | 5.49 |



Pos. 35 - **Name:** IC09 - 3/4" - 3/4" Inside Corner  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 7.625 inch, **Bendings:** 7


| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 35.1 | 17812 | 120.000       | 1      | 0   | 6.351 |









STANDARD TRIM  
November 2024




Pos. 38 - **Name:** J02 - 3/4" J Channel, No Hem  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 4.188 inch, **Bendings:** 3


| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 38.1 | 17815 | 120.000       | 1      | 0   | 3.444 |



Pos. 39 - **Name:** J03 - 1/2" J Channel  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 4.126 inch, **Bendings:** 4



| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 39.1 | 17816 | 120.000       | 1      | 0   | 3.444 |






Pos. 40 - **Name:** J04 - 3/4" J Channel  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 5 inch, **Bendings:** 4


| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 40.1 | 17817 | 120.000       | 1      | 0   | 4.198 |



Pos. 43 - **Name:** J05 - 1.25" J Channel, No Hem  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 5.751 inch, **Bendings:** 3



| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 43.1 | 17823 | 120.000       | 1      | 0   | 4.844 |






Pos. 44 - **Name:** J06 - 1.25" J Channel  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 6.251 inch, **Bendings:** 4

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 44.1 | 17824 | 120.000       | 1      | 0   | 5.167 |




Pos. 45 - **Name:** J07 - 3/4" Super J  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 6.5 inch, **Bendings:** 4

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 45.1 | 17825 | 120.000       | 1      | 0   | 5.382 |






STANDARD TRIM  
November 2024



Pos. 46 - **Name:** OC01 - 2.75" Outside Corner  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 9 inch, **Bendings:** 5

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 46.1 | 17826 | 120.000       | 1      | 0   | 7.535 |




Pos. 47 - **Name:** OC02 - 3.75" Outside Corner  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 11 inch, **Bendings:** 5

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 47.1 | 17827 | 120.000       | 1      | 0   | 9.149 |




## STANDARD TRIM

November 2024



Pos. 48 - **Name:** OC03 - 4.75" Outside Corner  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 13 inch, **Bendings:** 5

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 48.1 | 17828 | 120.000       | 1      | 0   | 10.872 |




Pos. 49 - **Name:** OC04 - 4" Outside Corner, built in J's  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 15 inch, **Bendings:** 7

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 49.1 | 17829 | 120.000       | 1      | 0   | 12.486 |






STANDARD TRIM  
November 2024



Pos. 50 - **Name:** OC05 - FR 5" Outside Corner  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 15 inch, **Bendings:** 5

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 50.1 | 17830 | 120.000       | 1      | 0   | 12.486 |





Pos. 51 - **Name:** PC01 - 1.75" Peak Cap \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 8.25 inch, **Bendings:** 6

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 51.1 | 17831 | 120.000       | 1      | 0   | 6.889 |





STANDARD TRIM  
November 2024






STANDARD TRIM

November 2024


Pos. 56 - **Name:** PT02 - Pitch Transition, steep to flat  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 13.5 inch, **Bendings:** 3

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 56.1 | 17836 | 120.000       | 1      | 0   | 11.302 |



Pos. 57 - **Name:** RC01 - Ridge Cap \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 13.5 inch, **Bendings:** 6

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 57.1 | 17837 | 120.000       | 1      | 0   | 11.302 |







STANDARD TRIM  
November 2024



Pos. 58 - **Name:** RC02 - Ridge Cap \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 13.626 inch, **Bendings:** 8

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 58.1 | 17838 | 120.000       | 1      | 0   | 11.302 |



Pos. 59 - **Name:** RC03 - Ridge Cap \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 13.626 inch, **Bendings:** 5

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 59.1 | 17839 | 120.000       | 1      | 0   | 11.302 |






STANDARD TRIM  
November 2024


Pos. 60 - **Name:** RC04 - Ridge Cap \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 13.5 inch, **Bendings:** 9

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 60.1 | 17840 | 120.000       | 1      | 0   | 11.302 |



Pos. 61 - **Name:** RCA - Ridge Cap \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 20.5 inch, **Bendings:** 5

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 61.1 | 17841 | 120.000       | 1      | 0   | 17.115 |






STANDARD TRIM  
November 2024


Pos. 62 - **Name:** SS01 - Snow Stop  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 8.063 inch, **Bendings:** 7

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 62.1 | 17842 | 120.000       | 1      | 0   | 6.674 |



Pos. 63 - **Name:** SSL Snow Stop Liner  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 6.625 inch, **Bendings:** 3

| Pos. | ID    | Length [inch] | Amount | lbs | sqft |
|------|-------|---------------|--------|-----|------|
| 63.1 | 17843 | 120.000       | 1      | 0   | 5.49 |










## STANDARD TRIM

November 2024




Pos.66 - **Name:** TC01-TrackCover

**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 12 inch, **Bendings:** 5

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 66.1 | 17846 | 120.000       | 1      | 0   | 10.01 |

|        |        |        |        |        |        |
|--------|--------|--------|--------|--------|--------|
| 90°    | -45°   | -22°   | -22°   | -135°  |        |
| 1.250" | 1.500" | 2.250" | 4.750" | 1.500" | 0.750" |



Pos. 67 - **Name:** TC02 - Face Mount, Big Frame

**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined

**Blank:** 11.5 inch, **Bendings:** 4


| Pos. | ID    | Length [inch] | Amount | lbs | sqft |
|------|-------|---------------|--------|-----|------|
| 67.1 | 17847 | 120.000       | 1      | 0   | 9.58 |

|        |        |        |        |        |
|--------|--------|--------|--------|--------|
| 90°    | -35°   | -30°   | -135°  |        |
| 1.000" | 1.625" | 5.375" | 2.875" | 0.625" |





STANDARD TRIM

November 2024




Pos.68 - **Name:** TC03-FaceMount  
**Material:** Colour29ga SMP - Gr80 | 0.015inch |  
-To Be Determined  
**Blank:** 11.75inch, **Bendings:** 4

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 68.1 | 17848 | 120.000       | 1      | 0   | 9.795 |



Pos. 69 - **Name:** TC04 Top Mount  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be  
Determined  
**Blank:** 11.25 inch, **Bendings:** 4

| Pos. | ID    | Length [inch] | Amount | lbs | sqft  |
|------|-------|---------------|--------|-----|-------|
| 69.1 | 17849 | 120.000       | 1      | 0   | 9.365 |






STANDARD TRIM  
November 2024


Pos. 70 - **Name:** V01 - Valley Flash \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 20.5 inch, **Bendings:** 1

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 70.1 | 17850 | 120.000       | 1      | 0   | 17.115 |



Pos. 71 - **Name:** V02 - Valley Flash \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 20.5 inch, **Bendings:** 3

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 71.1 | 17851 | 120.000       | 1      | 0   | 17.115 |






STANDARD TRIM  
November 2024


Pos. 72 - **Name:** V03 - Valley Flash \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 20.5 inch, **Bendings:** 3

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 72.1 | 17852 | 120.000       | 1      | 0   | 17.115 |



Pos. 73 - **Name:** V04 - 41" Valley Flash \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined  
**Blank:** 41 inch, **Bendings:** 1

| Pos. | ID    | Length [inch] | Amount | lbs | sqft   |
|------|-------|---------------|--------|-----|--------|
| 73.1 | 17853 | 120.000       | 1      | 0   | 34.122 |






Pos. 74 - **Name:** V05 - 41" W Valley Flash \*\* 4:12 Slope \*\*  
**Material:** Colour29ga SMP - Gr80 | 0.015 inch | - To Be  
Determined  
**Blank:** 41 inch, **Bendings:** 3

| Pos. | ID | Length [inch] | Amount | lbs | sqft |
|------|----|---------------|--------|-----|------|
|------|----|---------------|--------|-----|------|

|      |       |         |   |   |        |
|------|-------|---------|---|---|--------|
| 74.1 | 17854 | 120.000 | 1 | 0 | 34.122 |
|------|-------|---------|---|---|--------|



|        |        |     |
|--------|--------|-----|
| 73°    | -120°  | 73° |
| 1.000" | 1.000" |     |

19.500"