




Forma**Loc**

Hidden Fastener Standing Seam Panel

The FormaLoc panel system is a hidden fastener standing seam panel that offers easy installation for roofers and DIY homeowners alike. Available with striations or minor ribs, FormaLoc works well for both roof or side panel applications. With long clean lines, this panel system provides recognized standing seam performance, while remaining an affordable product for a wide array of projects. Forma Loc should always be applied over solid substrate.



Flat Pan available with Striations or Minor Ribs

Striations are recommended as they are more effective at minimizing oil canning over Minor Ribs

Standard 29 Gauge Colours * Also Available in 26 Gauge



Specifications

Roof & Wall Coverage: 12" - 16"

Hidden Fasteners

Panel Length Up to 35'

Recommended Roof Slope: Greater than 3:12

Substrate: 5/8" Standard Plywood

UL - Uplift Class 90

Suitable for climates with high wind, high snow accumulation & extreme temperatures

FormaLoc 16" Available in 26 Gauge in Standard Colours

FormaLoc 12" Available in 26 & 29 Standard Colours

Minimum Length: 12"

Only Available in 26ga





(403) 553-3309 | orders@formasteel.ca



exclusively by

FORMA STEEL







The Ultimate Wall Panel

Forma Plank is a modern steel cladding solution offering stunning colours and textures in an easy-to-install panel system that will effortlessly make your next build stand out from the rest.

Crafted from 24 gauge steel, Forma Plank is stronger then most other siding options. Backed by a minimum 30 year warranty ensures your plank won't chip, fade or peel.


Economical, simple and amazingly versatile, Forma Plank can be used in a variery of ways, both on exterior and for interior applications.

Bold. Durable. Versatile.

Paired with our Woodgrain Series finishes, Forma Plank gives the same warmth and aesthetics of wood siding but with the strength of steel to ensure a much longer lifespan.

Also available in over twenty 24 gauge colours and our new Textured Steel Series, there's a style to suit every project. Use Forma Plank as an accent, fascia, wainscotting, or to clad entire walls to achieve an exterior that stands out in every design.






The **Smart** Siding Solution

Forma Plank is available in two standard coverages with lengths up to 26 feet. A favourite among contractors, the Forma Plank panel is equipped with a complete set of trims for easy installation every time, and features a clip system ideal for thermal expansion & contraction.

This versatile panel can be installed vertically or horizontally, in varying widths, and is easily integrated with standard cladding profiles, including our Interloc Soffit Panels System.



Forma Plank Specifications



Application: Wall, Vertical or Horizontal

Concealed Fastener Floating Clip System

Panel Wall Coverage: 6-1/4" or 8-1/2"

Panel Depth: 7/8"

Panel Length: From 5' to 26'10"

2'-5' Lengths Available for Short Length Charge

Full Set of Custom Trims to Complete Any Install

Available in 24ga Woodgrains & Standard Colours

Available in 26ga FormaTouch Textured Colours

30 Year Warranty on Woodgrain Finishes

40 Year Warranty on Standard & Textured Colours

Extra Lead Times Apply to certain PVDF Finishes

Protective Film Applied to all Forma Plank Panels

Available Colours

Forma Steel recommends seeing a physical colour sample prior to ordering.

Woodgrain Series (24ga)



Standard Colour Series (24ga)



Textured Series (26ga)



See more projects using Forma Plank formaplank.ca



Create Something Amazing.


We create steel roofing, siding, & trim in a variety of gauges, colours & finishes for every structure imaginable. Forma Steel distributes through a network of authorized dealers throughout Western Canada.

Visit **formasteel.ca/where-to-buy** to locate a dealer near you.



Hidden Fastener Steel Cladding Panel

Get a longer lifespan and more design possibilties with our steel upgrade on the popular Board & Batten cladding panel. The batten extrusions provide long clean lines and the shadows they create add dimension and interest to any building design, especially when paired with our Textured Colour Series. The panel system provides a 9.5" coverage, with a 2.25" long batten extruded at just under 0.5" - keeping it flush with other popular cladding profiles. Easy installation with a clip system, and no exposed fasteners makes this a simple yet stylish cladding option for residential and commercial applications.







Board & Batten

Specifications

Wall Coverage: 9.5"

Fasteners: Hidden


Panel Length: Up to 26'10"

Minimum Length: 62"

Cut Charge on Lengths from 24" to <62"

Available in 24 gauge Standard & Woodgrain Series Colours & 26 gauge Textured Colours

Installed on a floating clip system for ideal thermal expansion and contraction



24 Gauge Colours




Textured 26 Gauge Colours





Hidden Fastener Steel Cladding Panel

Shiplap is another upgrade to a traditionally wood-cladding style from Forma Stee;. Our steel ShipLap panel is a slanted plank panel, usually installed horizontally, and can be used for both internal and external applications. Easy installation with a clip system, and no exposed fasteners makes this a simple yet stylish cladding option for residential and commercial applications. The panel is available in a 6" coverage, with a depth at the widest part just under 0.5", keeping it flush with most other popular cladding materials. Shiplap pairs well with other Forma Steel cladding options, including 7/8" Corrugated, Forma Plank, and Board & Batten.



(403) 553-3309 | orders@formasteel.ca





Ship**Lap**

Specifications

Wall Coverage: 6"

Fasteners: Hidden


Panel Length: Up to 26'10"

Minimum Length: 62"

Cut Charge on Lengths from 24" to <62"

Available in 24 gauge Standard & Woodgrain Series Colours & 26 gauge Textured Colours

Installed on a floating clip system for ideal thermal expansion and contraction





24 Gauge Colours



Textured 26 Gauge Colours








FORMA STEEL

Interloc Series

Wall & Soffit Panel System

The Interloc Wall & Soffit Panel System is a smooth wall panel that can be installed both horizontally and vertically, and is commonly used as a soffit panel with perforations. This hidden fastener standing seam panel comes in a variety of coverages with options for flush wall or 0.5" reveal.

Depending on the coverage chosen, the Interloc Panel comes in a flat pan, with v grooves, with perforations, or a combination of these options. Available in our Standard 24 gauge colour series, this panel can also be produced in our Woodgrain Series, Textured Series, and PVDF Finishes.





Specifications

Wall Coverage: 12"

Concealed Clip System

Panel Length Up to 20'


Panel Depth: 1"

Available in 24ga Colours & 26ga Textured Colours

Minimum Length: 36"

Available with 1 or 2 V Grooves with Perforation Option

V Grooves are recommended over flat pan to reduce oil-canning



Specifications

Wall Coverage: 8"

Concealed Clip System

Panel Length Up to 20'


Panel Depth: 1"

Available in 24ga Colours & 26ga Textured Colours

Minimum Length: 36"

Flush Panel with no Reveal

V Grooves are recommended over flat pan to reduce oil-canning



Specifications

Roof Coverage: 8"

Reveal: 0.5"

Concealed Clip System

Panel Length Up to 20'

Panel Depth: 1"

Available in 24ga Colours & 26ga Textured Colours

Minimum Length: 36"

V Grooves are recommended over flat pan to reduce oil-canning



Available Colours


Standard Colours | 24 Gauge



Woodgrain Series | 24 Gauge



Textured Series | 26 Gauge








Clip Loc

Floating Clip Wall Panel System


The ClipLoc Panel System provides the ease of installation like our Nailstrip panel, but with the flexibilty of a floating clip system. Clips allow the panels to expand and contract with the temperature changes without causing strain or tension on panels or fasteners. Metal roofs installed with a floating clip system not only have longer life spans than fastener systems, but they can achieve the same beautiful aesthetic and are highly customizable. ClipLoc allows for unique configurations when designed in a varied width pattern as seen above.





1" Clip Loc

(Standard Widths of 13" & 16")







Clip Loc



1" Specifications

Standard Widths: 13" and 16"

Custom Widths: 9" to 21" extended lead times may apply

Concealed Clip System

Panel Length Up to 50'


Minimum Length: 24"

Suitable for Low Sloped Roofs down to 3/12

Substrate: 5/8" Standard Plywood Minimum / Purlins

Available in 24 Gauge Colours

Available with Striations or Minor Ribs. Striations are recommended to minimize the appearance of oil-canning



1.5" Specifications

Standard Widths: 11.5" and 16"

Custom Widths: 7.5" to 19.5" extended lead times may apply

Concealed Clip System

Panel Length Up to 50'

Minimum Length: 24"

Suitable for Low Sloped Roofs down to 1.5/12

Substrate: 5/8" Standard Plywood Minimum / Purlins

Available in 24 Gauge Colours

Available with Striations or Minor Ribs. Striations are recommended to minimize the appearance of oil-canning

24 Gauge Colours








Mechanical Loc

Standing Seam Panel System


Mechanical Loc is a commercial grade panel that is mechanically seamed and installed with a concealed clip system. This panel is ideal for shallow sloped roofs. Available in 2", 1.5" and 1" seam heights, the Mechanical Loc panel system creates long clean lines with wide spans, provides superior weather-tight protection, and allows for thermal expansion and contraction with a floating clip system. Mechanical Loc is available with minor ribs and comes in variable widths. Mechanical Loc requires on-site seaming.





1.5" Mechanical Loc

also available in 1"



(403) 553-3309 | orders@formasteel.ca





Mechanical Loc



Roof Coverage: 12-16"

Concealed Clip System

Panel Length Up to 50' (Contact Forma Steel to discuss options for panels longer than 50'

Suitable for Low Sloped Roofs (Minimum Slopes: 2" = 3/4:12, 1.5 "= 1.5:12, and 1" = 3:12


Substrate: 5/8" Standard Plywood Minimum

Suitable for climates with high wind, high snow accumulation & extreme temperatures

Available in Standard 24 Gauge Colours

Minimum Length: 12"

Striations are recommended on panels to minimize the appearance of oil-canning





24 Gauge Colours








Nail**Strip**

Hidden Fastener Standing Seam Panel

The Nailstrip panel system is a hidden fastener standing seam panel that offers easy installation for roofers. Available with 2" minor ribs, Nail Strip works well for both roof or side panel applications. With long clean lines, this panel system provides recognized standing seam performance, while remaining an affordable product for a wide array of projects. Nail Strip should always be applied over solid substrate. Notching available on request.


1.5" NailStrip

Available in Standard Widths of 10.75" (2 Minor Ribs) & 16" (3 Minor Ribs)



1" NailStrip

Available in Standard Widths of 11.75" (2 Minor Ribs) & 16" (3 Minor Ribs)







Nail Strip



Roof & Wall Coverage: 10-3/4" to 16"

Hidden Fastener Panel

Panel Length Up to 35' | Minimum Length: 48"

Recommended Roof Slope: Greater than 3:12

Substrate: 5/8" Standard Plywood


Suitable for climates with high wind, high snow accumulation & extreme temperatures


Available in Standard 24 Gauge Colours

Notching Available on all Nailstrip Panels

Inquire about other available widths

Striations are recommended on panels to minimize the appearance of oil-canning





24 Gauge Colours

