




STANDARD TRIM



November 2024

Forma Steel Counter




Pos. 1 - **Name:** BF01 - Base
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 4 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
1.1	17778	120.000	1	0	3.337




Pos. 2 - **Name:** BF02 - 1.5" Base
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 4.5 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
2.1	17779	120.000	1	0	3.767







STANDARD TRIM
November 2024




Pos. 3 - **Name:** BF03 - 1.75" Base
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 6 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
3.1	17780	120.000	1	0	4.951




Pos. 4 - **Name:** DJ01 - 2x8 Door Jamb
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 9.813 inch, **Bendings:** 2

Pos.	ID	Length [inch]	Amount	lbs	sqft
4.1	17781	120.000	1	0	8.181







STANDARD TRIM
November 2024




Pos. 5 - **Name:** DJ02 - 2x10 Door Jamb
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 12.063 inch, **Bendings:** 2

Pos.	ID	Length [inch]	Amount	lbs	sqft
5.1	17782	120.000	1	0	10.01




Pos. 6 - **Name:** EV01 - 1" Eave ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 5 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
6.1	17783	120.000	1	0	4.198







STANDARD TRIM
November 2024




Pos. 7 - **Name:** EV02 - 2" Eave ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 6 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
7.1	17784	120.000	1	0	4.951




Pos. 8 - **Name:** EV03 - 4.125" Eave ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 8.125 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
8.1	17785	120.000	1	0	6.781







STANDARD TRIM
November 2024




Pos. 9 - **Name:** EV04 - 5" Eave ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 10 inch, **Bendings:** 4


Pos.	ID	Length [inch]	Amount	lbs	sqft
9.1	17786	120.000	1	0	8.288



Pos. 10 - **Name:** EV05 - 3" Eave ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 7 inch, **Bendings:** 4


Pos.	ID	Length [inch]	Amount	lbs	sqft
10.1	17787	120.000	1	0	5.813





Pos. 11 - **Name:** EW01 - End Wall ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 9.5 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
11.1	17788	120.000	1	0	7.965




Pos. 12 - **Name:** FC01 - 5" Fascia
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 6.938 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
12.1	17789	120.000	1	0	5.813





STANDARD TRIM

November 2024




Pos. 13 - **Name:** FC02 - 6" Fascia
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 8 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
13.1	17790	120.000	1	0	6.674



Pos. 14 - **Name:** FC03 - 7" Fascia
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 9 inch, **Bendings:** 3


Pos.	ID	Length [inch]	Amount	lbs	sqft
14.1	17791	120.000	1	0	7.535





STANDARD TRIM

November 2024





Pos. 13 - **Name:** FC04 - 8" Fascia

Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 8 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
13.1	17790	120.000	1	0	6.674




Pos. 15 - **Name:** GB01 - 1.75" Gable

Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 8.438 inch, **Bendings:** 6

Pos.	ID	Length [inch]	Amount	lbs	sqft
15.1	17792	120.000	1	0	6.997






STANDARD TRIM
November 2024


Pos. 16 - **Name:** GB02 - 2.75" Gable
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 9.25 inch, **Bendings:** 6


Pos.	ID	Length [inch]	Amount	lbs	sqft
16.1	17793	120.000	1	0	7.75



Pos. 17 - **Name:** GB03 - 4.75" Gable
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 11.5 inch, **Bendings:** 6


Pos.	ID	Length [inch]	Amount	lbs	sqft
17.1	17794	120.000	1	0	9.58





Pos. 18 - **Name:** GB04 - FR 6.25" Gable
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 14.75 inch, **Bendings:** 6

Pos.	ID	Length [inch]	Amount	lbs	sqft
18.1	17795	120.000	1	0	12.271



Pos. 19 - **Name:** GB05 - 3.75" Gable
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 10.125 inch, **Bendings:** 6


Pos.	ID	Length [inch]	Amount	lbs	sqft
19.1	17796	120.000	1	0	8.396



STANDARD TRIM
November 2024


Pos. 20 - **Name:** GBP1 - 1.75" Prow Gable
Material: Colour29ga SMP - Gr80 | 0.015 inch | -
To Be Determined
Blank: 20.5 inch, **Bendings:** 8

Pos.	ID	Length [inch]	Amount	lbs	sqft
20.1	17797	120.000	1	0	17.115



Pos. 21 - **Name:** GBP2 - 2.75" Prow Gable
Material: Colour29ga SMP - Gr80 | 0.015 inch | -
To Be Determined
Blank: 20.5 inch, **Bendings:** 8

Pos.	ID	Length [inch]	Amount	lbs	sqft
21.1	17798	120.000	1	0	17.115






STANDARD TRIM

November 2024


Pos. 22 - **Name:** GBP3 - 4.75" Prow Gable

Material: Colour29ga SMP - Gr80 | 0.015 inch | -
To Be Determined

Blank: 20.5 inch, **Bendings:** 8




Pos.	ID	Length [inch]	Amount	lbs	sqft
22.1	17799	120.000	1	0	17.115




Pos. 23 - **Name:** GD01 - .5" Gable Divider

Material: Colour29ga SMP - Gr80 | 0.015 inch | -
To Be Determined

Blank: 4.125 inch, **Bendings:** 4




Pos.	ID	Length [inch]	Amount	lbs	sqft
23.1	17800	120.000	1	0	3.444







STANDARD TRIM
November 2024




Pos. 24 - **Name:** GD02 - 3/4" Gable Divider
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To
Be Determined
Blank: 4.375 inch, **Bendings:** 4


Pos.	ID	Length [inch]	Amount	lbs	sqft
24.1	17801	120.000	1	0	3.66



Pos. 25 - **Name:** GD03 - 1.375" Gable Divider
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To
Be Determined
Blank: 5.875 inch, **Bendings:** 4



Pos.	ID	Length [inch]	Amount	lbs	sqft
25.1	17802	120.000	1	0	4.844






Pos. 26 - **Name:** HD01 - 1" Header
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 5.5 inch, **Bendings:** 6

Pos.	ID	Length [inch]	Amount	lbs	sqft
26.1	17803	120.000	1	0	4.628




Pos. 27 - **Name:** HD02 - 2" Header
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 7.5 inch, **Bendings:** 6

Pos.	ID	Length [inch]	Amount	lbs	sqft
27.1	17804	120.000	1	0	6.243







STANDARD TRIM
November 2024




Pos. 28 - **Name:** IC01 - Inside Corner
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 5.75 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
28.1	17805	120.000	1	0	4.844




Pos. 29 - **Name:** IC02 - 4" Inside Corner
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 11.5 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
29.1	17806	120.000	1	0	9.58







STANDARD TRIM
November 2024




Pos. 30 - **Name:** IC03 - 4" Inside Corner, built in J's
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 15.25 inch, **Bendings:** 7

Pos.	ID	Length [inch]	Amount	lbs	sqft
30.1	17807	120.000	1	0	12.701




Pos. 31 - **Name:** IC05 - FR 5" Inside Corner
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 15 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
31.1	17808	120.000	1	0	12.486







STANDARD TRIM
November 2024




Pos. 32 - **Name:** IC06 - 1/2" Double J
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 4.625 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
32.1	17809	120.000	1	0	3.875




Pos. 33 - **Name:** IC07 - .75" Double J
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 5 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
33.1	17810	120.000	1	0	4.198







STANDARD TRIM
November 2024




Pos. 34 - **Name:** IC08 - 1/2" - 1/2" Inside Corner
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 6.626 inch, **Bendings:** 7

Pos.	ID	Length [inch]	Amount	lbs	sqft
34.1	17811	120.000	1	0	5.49




Pos. 35 - **Name:** IC09 - 3/4" - 3/4" Inside Corner
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 7.625 inch, **Bendings:** 7

Pos.	ID	Length [inch]	Amount	lbs	sqft
35.1	17812	120.000	1	0	6.351






STANDARD TRIM
November 2024



Pos. 36 - **Name:** IC10 - 1/2" - 3/4" Inside Corner
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 7.376 inch, **Bendings:** 7


Pos.	ID	Length [inch]	Amount	lbs	sqft
36.1	17813	120.000	1	0	6.135


-90°	-90°	90°	180°	-90°	-90°
1.500"	0.563"	1.000"	0.875"	0.875"	1.000"
					1.563"



Pos. 39 - **Name:** J03 - 1/2" J Channel
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 4.126 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
39.1	17816	120.000	1	0	3.444






Pos. 40 - **Name:** J04 - 3/4" J Channel

Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined

Blank: 5 inch, **Bendings:** 4



Pos.	ID	Length [inch]	Amount	lbs	sqft
40.1	17817	120.000	1	0	4.198

	90°	90°	180°
2.750"	0.875"	0.875"	0.500"




Pos. 44 - **Name:** J06 - 1.25" J Channel
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 6.251 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
44.1	17824	120.000	1	0	5.167




Pos. 45 - **Name:** J07 - 3/4" Super J
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 6.5 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
45.1	17825	120.000	1	0	5.382






STANDARD TRIM
November 2024



Pos. 46 - **Name:** OC01 - 2.75" Outside Corner
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 9 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
46.1	17826	120.000	1	0	7.535




Pos. 47 - **Name:** OC02 - 3.75" Outside Corner
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 11 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
47.1	17827	120.000	1	0	9.149




STANDARD TRIM

November 2024



Pos. 48 - **Name:** OC03 - 4.75" Outside Corner
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 13 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
48.1	17828	120.000	1	0	10.872




Pos. 49 - **Name:** OC04 - 4" Outside Corner, built in J's
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 15 inch, **Bendings:** 7


Pos.	ID	Length [inch]	Amount	lbs	sqft
49.1	17829	120.000	1	0	12.486



STANDARD TRIM
November 2024



Pos. 50 - **Name:** OC05 - FR 5" Outside Corner
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 15 inch, **Bendings:** 5




Pos. 51 - **Name:** PC01 - 1.75" Peak Cap ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 8.25 inch, **Bendings:** 6



STANDARD TRIM
November 2024


Pos. 52 - **Name:** PC02 - 2.75" Peak Cap ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be
Determined
Blank: 9.25 inch, **Bendings:** 6

Pos.	ID	Length [inch]	Amount	lbs	sqft
52.1	17832	120.000	1	0	7.75





Pos. 53 - **Name:** PC03 - 4.75" Peak Cap ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be
Determined
Blank: 11.25 inch, **Bendings:** 6

Pos.	ID	Length [inch]	Amount	lbs	sqft
53.1	17833	120.000	1	0	9.365





STANDARD TRIM
November 2024






STANDARD TRIM

November 2024


Pos. 56 - **Name:** PT02 - Pitch Transition, steep to flat
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 13.5 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
56.1	17836	120.000	1	0	11.302



Pos. 57 - **Name:** RC01 - Ridge Cap ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 13.5 inch, **Bendings:** 6

Pos.	ID	Length [inch]	Amount	lbs	sqft
57.1	17837	120.000	1	0	11.302







STANDARD TRIM
November 2024



Pos. 58 - **Name:** RC02 - Ridge Cap ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 13.626 inch, **Bendings:** 8

Pos.	ID	Length [inch]	Amount	lbs	sqft
58.1	17838	120.000	1	0	11.302



Pos. 59 - **Name:** RC03 - Ridge Cap ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 13.626 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
59.1	17839	120.000	1	0	11.302






STANDARD TRIM
November 2024


Pos. 60 - **Name:** RC04 - Ridge Cap ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 13.5 inch, **Bendings:** 9

Pos.	ID	Length [inch]	Amount	lbs	sqft
60.1	17840	120.000	1	0	11.302



Pos. 61 - **Name:** RCA - Ridge Cap ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 20.5 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
61.1	17841	120.000	1	0	17.115






STANDARD TRIM
November 2024


Pos. 62 - **Name:** SS01 - Snow Stop
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 8.063 inch, **Bendings:** 7

Pos.	ID	Length [inch]	Amount	lbs	sqft
62.1	17842	120.000	1	0	6.674



Pos. 63 - **Name:** SSL Snow Stop Liner
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 6.625 inch, **Bendings:** 3


Pos.	ID	Length [inch]	Amount	lbs	sqft
63.1	17843	120.000	1	0	5.49







STANDARD TRIM

November 2024




Pos.66 - **Name:** TC01-TrackCover
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank:12 inch, **Bendings:** 5

Pos.	ID	Length [inch]	Amount	lbs	sqft
66.1	17846	120.000	1	0	10.01



Pos. 67 - **Name:** TC02 - Face Mount, Big Frame
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 11.5 inch, **Bendings:** 4


Pos.	ID	Length [inch]	Amount	lbs	sqft
67.1	17847	120.000	1	0	9.58






STANDARD TRIM

November 2024



Pos.68 - **Name:** TC03-FaceMount
Material: Colour29ga SMP - Gr80 | 0.015inch |
-To Be Determined
Blank: 11.75inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
68.1	17848	120.000	1	0	9.795




Pos. 69 - **Name:** TC04 Top Mount
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be
Determined
Blank: 11.25 inch, **Bendings:** 4

Pos.	ID	Length [inch]	Amount	lbs	sqft
69.1	17849	120.000	1	0	9.365




Pos. 70 - **Name:** V01 - Valley Flash ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 20.5 inch, **Bendings:** 1

Pos.	ID	Length [inch]	Amount	lbs	sqft
70.1	17850	120.000	1	0	17.115



Pos. 71 - **Name:** V02 - Valley Flash ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 20.5 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
71.1	17851	120.000	1	0	17.115






STANDARD TRIM
November 2024


Pos. 72 - **Name:** V03 - Valley Flash ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 20.5 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
72.1	17852	120.000	1	0	17.115



Pos. 73 - **Name:** V04 - 41" Valley Flash ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be Determined
Blank: 41 inch, **Bendings:** 1

Pos.	ID	Length [inch]	Amount	lbs	sqft
73.1	17853	120.000	1	0	34.122






STANDARD TRIM
November 2024

Pos. 74 - **Name:** V05 - 41" W Valley Flash ** 4:12 Slope **
Material: Colour29ga SMP - Gr80 | 0.015 inch | - To Be
Determined
Blank: 41 inch, **Bendings:** 3

Pos.	ID	Length [inch]	Amount	lbs	sqft
------	----	---------------	--------	-----	------

74.1	17854	120.000	1	0	34.122
------	-------	---------	---	---	--------



73° -120° 73°
1.000" 1.000"

19.500"